# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

DISCHARGE, GAGE HEIGHT, AND ELEVATION OF 100-YEAR FLOODS IN THE HUDSON RIVER BASIN

By Roger J. Archer

U.S. GEOLOGICAL SURVEY

Open-File Report 78-332

Prepared in cooperation with the U.S. Water Resources Council for the Hudson River Basin Study Group

Albany, New York
April 1978

## CONTENTS

			Page
Abstract Introduction Data computation	and presentation.	ons	
	ILLUS	STRATIONS	
	(Plate i	s in pocket)	
_	ons for which disch	n showing location of marge of 100-year floo	
	ĄT	ABLES	
		and elevation of 100- ver Basin	
FAC		G U.S. CUSTOMARY UNITS	S TO
Multiply U.S. Cu	ustomary units	By	To obtain SI units
<pre>feet (ft) square miles (m: cubic feet per s     (ft<sup>3</sup>/s)</pre>	$i^2$ )	0.3048 2.59 .028317	meters (m) square kilometers (km <sup>2</sup> cubic meters per secon (m <sup>3</sup> /s)

# DISCHARGE, GAGE HEICHT, AND ELEVATION OF 100-YEAR FLOODS IN THE HUDSON RIVER BASIN

Ву

Roger J. Archer

#### ABSTRACT

The flood discharge that may be expected to be equaled or exceeded on the average of once in a 100 years (100-year flood) was computed by use of the log-Pearson Type III frequency distribution for 72 stations in the Hudson River basin. These discharges and, where available, their corresponding gage height and elevation above mean sea level, are presented in tabular form. A short explanation of computation methods is included. The data are to be used as part of a Federally funded study of the water resources and related land resources of the Hudson River basin.

#### INTRODUCTION

Drought during the early 1960's provided a stimulus for studies by several agencies on water-resources planning and management in New York State. From the results of these studies, the State of New York prepared a proposal for a "Level B Study of the Hudson River basin," designed to evaluate present and future water and related land resources of the Hudson River basin. That study was funded by Congress through the Water Resources Council (Hudson River Basin Study Group, written commun., Nov. 1976, p. i). The New York State Department of Environmental Conservation was selected to provide guidance for the study.

Work groups composed of representatives from selected State and Federal agencies, including the U.S. Geological Survey, were formed to assemble needed data for the Level B study. As one phase of its part in the study, the Survey was asked to provide a summary of information on the discharge, gage height, and elevation of the "100-year flood" at all locations in the Hudson River basin for which this information could be obtained. The term 100-year flood designates the discharge that can be expected to be equaled or exceeded once in 100 years on the average, or the discharge that has a 1-percent chance of being exceeded in any given year [U.S. Water Resources Council, 1976, p. 22]. This flood information is to be used by the Flood Damage Reduction work group in their phase of the Level B study.

### Data Computation and Presentation

The 100-year flood discharge at all continuous-gaging and partial-record crest-stage stations in the Hudson River basin with at least 10 consecutive years of record through 1975 was computed by the log-Pearson Type III method of determining the frequency relationship. These data are given in table 1; locations of the stations are shown in plate 1. Also included in table 1 are gage height and elevations of the 100-year flood at the gaging stations and gage heights at the crest-stage stations.

The 100-year flood discharges were computed in accordance with "Guidelines for Determining Flood Flow Frequency," Bulletin 17 of the Hydrology Committee, U.S. Water Resources Council (1976). The guidelines allow for several options, of which the following were used in the computations: (1) Only the maximum flood peak in each water year was considered; (2) the skew coefficients used were the generalized values obtained from the skew map in U.S. Water Resources Council Bulletin 17 (1976); (3) the 100-year floods were not adjusted for expected probability; and (4) where appropriate, historic flood information was used to adjust the frequency curve.

U.S. Water Resources Council Bulletin 17 warns users of flood-frequency data to be aware that such data are only estimates from the population curves based on log Pearson Type III frequency relationship and are not exact representations. The streamflow records on which these estimates are based are only a sampling; how well the sampling will represent the total flood experience (past, present, and future) depends upon the number of years of record and representiveness of the recorded flood peaks.

The guidelines are applicable only to naturally flowing, unregulated streams. Computations for regulated streams (those receiving regulated flow from more than 20 percent of the drainage area) were based on observed station skew rather than generalized skew. Frequency relationships of regulated streams were computed only for those stations having a minimum of 25 years of record subsequent to start of regulation. Changes in operational patterns can change flood-frequency relationships downstream.

### REFERENCES CITED

- Hudson River Basin Study Group, 1976, Amended plan of study, Hudson River basin water and related land resources study: New York State Department of Environmental Conservation, 39 p., 2 appendices.
- U.S. Water Resources Council, Hydrology Committee, 1976, Guidelines for determining flood flow frequency: U.S. Water Resources Council, Bull. 17, 35 p., 14 appendices.

# Table 1. Discharge, gage height, and elevation of 100-year floods in the Hudson River basin

#### NOTES

Station number: The station number is a unique number assigned by the U.S. Geological Survey to each data-collection station. These numbers are assigned in ascending order in the downstream direction. All stations on a tributary entering a main stream upstream from a mainstream station have lower numbers than the main-stream station. Stations on a tributary that enters between two main-stream stations have a number between those of the two stations.

<u>County Codes</u>: County codes are the numeric codes of the Federal Information Processing Standards (FIPS)

Number	New York County	Number	New York County	Number	Adjacent-State County		
001	Albany	083	Rensselaer	MA003	Berkshire, Mass.		
021	Columbia	087	Rockland	NJ037	Sussex, N.J.		
027	Dutchess	091	Saratoga	VT003	Bennington, Vt.		
031	Essex	093	Schenectady				
035	Fulton	095	Schoharie				
039	Greene	1.05	Sullivan				
041	Hamilton	111	Ulster				
043	Herkimer	113	Warren				
057	Montgomery	115	Washington				
065	Oneida	119	Westchester				
071	Orange,						

(Continued on next page)

<u>Period of record</u>: Periods of record are the water years (October 1 to September 30), designated by the calendar years in which they end, that were used in computation of the 100-year flood discharge. Periods of record that include a break of 1 or more years are indicated by the asterisk in the period-of-record column.

Crest-stage gages: Data from crest-stage gages (stations at which only the peak stage is recorded between inspections) used in computation of the 100-year flood discharge are indicated by the letter P in the period-of-record column.

Regulation: Stations at which flow regulation can significantly affect flood levels are indicated by letter R in the 100-year flood-discharge column.

Gage height of the 100-year flood: The gage height (water-surface elevation above some arbitrary gage datum) of the 100-year flood was determined from the latest available stage/discharge rating curve. At many of the stations, the discharge of the 100-year flood would be greater than any measured discharge; therefore, an extension of the rating curve was required. Stations for which these extensions were not practical are indicated by a double asterisk (\*\*) in the gage-height column.

Elevation of the 100-year flood: The elevation of the 100-year flood is the flood level, in feet above mean sea level, determined from the computed gage height and the datum (base elevation) of the gage. Stations for which 100-year flood elevations were not computed because the datum was not available are indicated by the symbol ++ in the elevation column.

(Continued on next page)

Table 1. . Discharge, gage height, and elevation of 100-year floods in the Hudson River basin

			Coun-	Drain age	Period	10	U Year 1 Gage	Flood Elevation
Station number Station name	Latitude	Longitude	tv Cide	area (m! <sup>2</sup> )	of record	Discharge (ft <sup>3</sup> )	height (ft)	(ft above mean sea level)
		74 07 48 74 14 20		192 150	1926 75 1931-61 P1962 69*	7700 9290	12.3 13.7	1562.7 1553.7
el314000 Hudson River at Gooley near Indian Lake 01315000 Indian River near Indian Lake 01315500 Hudson River at North (reek 01317000 Schrödn River at Riverhans 01318000 Hudson River at Thurman 01318500 Hudson River at Halley 01319000 Last Branch Sacandaga River at Griffin 01319800 West Branch Sacandaga River at Arietta 01319950 Sand Lake Outlet near Pisece 01321000 Sacandaga River near Hope	43 12 03 43 34 34 43 28 4" 43 10 08	71 16 65 73 59 02 73 14 1 73 49 30 73 50 41 74 13 10 74 31 06 74 32 47 74 16 12	113 113 113 091 041 041 041	119 132 792 527 1533 1664 114 28.9 7.16	1917-68 1917-75 1908-75 1908-76 1908-20 1922-75 1934-75 P1963-75 P1962-75 1912-75 1908-2)	16068 R3400 R29000 R11600 37090 42900 11080 3400 400 32080 35000	7.7 12.5 14.3 ** 26.9 14.4 ** 4.2 10.7	1611.9 1000.0 713.6 584.9 1268.7 1691.6 892.0
01328900 Fanner Brook near Sunderland, it. 01329000 Batten Kill at Arlington, Vt. 01329500 Fatten kill at Battenville 0133000 Clowegee Creek at West Milten 01330500 Roydenosseras Creek near West Milton 01331500 Drv Brook near Adams, Ma. 01331500 Hoosic River at Adams, Ma.	43 00 00 43 01 48 13 02 24 42 35 20 42 36 37	73 05 41 73 49 20 73 25 48 73 55 48 73 51 36 73 06 48 73 07 32	VT003 VT003 115 091 091 MA663	2.60 152 394 26.0 90.1	1030-74 1048-75* P1J64 74 1029-75 1923-68 1949-63 1927-75 1963-75 1932-75	R13000 1704 130 9500 21000 2000 4400 1200 4200	9.4 9.1 ** 11.2 17.7 7.9 10.4 5.8 9.1	591.4 149.4 608.0 368.8 415.5 368.5 ++
01337500 Green River at Williamstown, Ma. 01333500 Green River at Williamstown, Ma. 01333500 South Stream near Bennington, Vt. 01333500 South Stream near Bennington, Vt. 01334900 Paran Greek near South Shaftsbury, Vt. 01334500 Hoosic River near North Bennington, Vt. 01334500 Hoosic River near Berlage 01336000 Wohnak River held belta Dam, near Rome 01342800 West Canada Greek at Nobleboro 01346000 West Canada Greek at Nobleboro 01347500 East Canada Creek at Bolgeville 01347500 East Canada Creek at Dolgeville 01348000 Fast Canada Creek at East Creek 01349000 Ostohanie Greek at Fort Plain 0155000 Schoharie Greek at Prattsville 01351000 Schoharie Creek at Prattsville	12 12 21 42 42 35 42 49 53 42 54 47 42 56 24 43 15 62 43 23 47 43 04 08 43 00 52 43 01 12 42 57 12 42 37 42	75 10 50 75 11 50 73 20 24 73 10 04 73 11 19 73 15 25 73 22 86 15 26 12 74 51 34 74 59 26 74 46 43 74 44 42 74 37 48 74 26 24 74 11 08	MA003 MA003 083 VT003 VT003 VT003 083 065 043 043 043 043 043	132 42.6 56.1 7.70 2.38 111 510 150 192 556 1348 261 291 59.2 236 73.0	1932-75 1941 75 1950-75 1952-75 P1963-74 P1964-75 1932-75 1911-75 1928-75 1928-75 1928-75 1928-75 1928-75 1928-75 1928-75	11000 14000 5400 8200 200 340 11000 R8000 14300 R19000 R28000 16000 18000 74000 7200	13.0 14.2 6.2 11.4 *** 17 13.0 18.8 11.5 11.4 7.0 14.3 8.4 11.4 9.0	833.5 ++ 598.8  ++ 374.2 485.5 1400.6 446.8 327.8 764.3 344.1 314.6  921.5
01351500 Schoharie Creek at Burtonsville 01354300 Plotter Kill at Rynex Corners 01557500 Mohawk River at Cohoes 01358000 Hudson River at Green Island 01358500 Poesten Kill near Trov 01359750 Moordener Kill at Castleton-on Budson 01301000 Kinderhook Creek at Rossman 01301000 Claverack Creek at Claverack	42 46 00 42 49 16 42 47 0 42 45 08 42 43 48 42 52 02 42 19 48 42 11 54	74 15 48 74 04 20 73 42 29 73 41 22 73 37 48 73 44 15 73 44 24 73 43 46	001 001 083 083 021	883 3,70 3456 8090 89,4 32,6 329 60,6	P1969-74 1940-75 P1958-74* 1918-75 1946-75 1924-68 1958-75 1929-68 1961-68	R43000 820 R160000 R220000 11000 1900 29000 7200	8.8 7.7 23.6 29.8 12.6 4.1 19.3	516.8 ++ 73.5 30.1 334.1 102.8 45.1
01362100 Roeliff Jansen kill near Hill Jale 01362198 Esopus Creek at Shindaken 01362500 Esonus Creek at Coldbrook 01365000 Roonous Creek at Coldbrook 01365000 Chestnut Creek at Galameville 01366500 Sandburt Creek near Lackawa k 01366500 Sandburt Creek at Hillenville 01367500 Sandburt Creek at Roseadale 01368000 Wallkill River near Union tile 01368500 Rutgers Creek at Gardnerville 01369500 Pochack Creek near Pine Island 01370000 Wallkill River at Pellets Island Mountain 01370000 Wallkill River near Hill psburg 01371000 Shawangunk Kill at Pine Bush 01371500 Wallkill River at Gardiner 01372040 Crum Ilbox Creek at Hyde Park	40 24 00 12 00 15 42 00 59 42 00 51 11 52 12 41 50 24 11 16 32 41 42 54 41 50 24 10 15 56 11 20 24 11 16 12 11 20 24 11 16 12 11 20 24 11 16 12 11 20 24 11 17 24 11 25 40 11 26 41 11 27 24 11 28 41 11 28	74 09 00 75 31 10 74 23 20 74 16 1e 74 29 24 74 21 10 74 23 21 71 05 24 74 29 24 74 29 24 74 29 24 74 29 24 74 21 36 74 24 26 74 17 24 74 17 24 74 17 24 74 17 25 74 17 25 75 55 53	021 111 105 105 105 111 111 111 110 071 071 071	98 27, 5 59, 5 192 38, 5 20, 9 100 56, 7 560 140 59, 7 98, 0 9, 74 385 410 102 711 188, 6	P1969-75 1911-75 1958-75 1964-75 1932-75 1937-75 1932-75 1932-75 1938-75 1938-75 1938-75 1938-75 1938-75 1938-75 1938-75 1938-75 1938-75 1938-75 1938-75 1938-75	16000 3960 82000 82000 8400 27000 52000 5700 7500 7500 1400 12000 11000 11000 11000 940	11 ** ** 5.5 11.0 ** 12.0 9.4 7.0 24.5 12.4 18.5 **	886.7 *** 314.2 410.5 391.8 397.0 381.9 365.0 323.1 204.2
01372300 little Wappinger Cicel at Salt "oint 01372500 Wappinger Creek near Eappingers Falls 01372800 Fishkill Creek at Hopsell Junction 01373500 Fishkill Creek at Beacon 01374400 South Branch Minisceonge Creek at Letchworth Village	41 18 20 41 39 0 41 54 22 11 30 30 41 12 15	73 17 38 73 12 12 73 48 25 73 57 00 74 01 54	027 027 027 087	92.4 52.9 182 57.7 186	1956-75 1956-75 1929-75 1964-75 1945-68	8200 2500 20000 4600 13000	16.0 8.4 20.4 10.4 15.0	250.1 ++ 134.8 239.9 146.2
01376500 Saw Mill River at Yonker	÷0 5 <b>%</b> 11	73 53 12	110	25 0	1945-75	1100	7.6	98.6